



Anne Arundel Medical Center

### ANTI COAGULATION SERVICES

Initial Clinical Referral Contract - Hospitalist

AAMC Hospitalist Initiated

P: 443.481.5826 / F: 443.481.5798

\*\*\*For ACS Office Use Only\*\*\*

Patient Label ID

\*\*\*Initial Hospitalist referral is only valid for 30 days. A community physician must countersign and assume responsibility:

Hospitalist Printed Name:

Signature: \_\_\_\_\_ Date:

Patient's Name:

Birthdate:

Patient Demographics Required: Phone: Home:

Work:

Cell:

Other:

#### Reason for Referral:

Z51.81 Therapeutic Drug Level Monitoring

Z79.01 Long term (current) use of anticoagulants

#### Patient's Indication for therapy: (Choose every diagnosis that applies or provide ICD-10 code and description):

##### Atrial Fibrillation

- I48.0 Paroxysmal
- I48.11 Longstanding Persistent A-Fib
- I48.20 Chronic
- I48.19 Other Persistent A-Fib
- I48.21 Permanent
- I48.91 Other/Unspecified

##### Deep Vein Thrombosis (DVT)

- I82.409 Acute
- Z86.718 History of DVT
- I82.509 Chronic
- Z86.718 History of Recurrent DVT

##### Atrial Flutter

- I48.3 Typical
- I48.4 Atypical
- I48.92 Other/Unspec.
- I42.9 Cardiomyopathy
- Z86.73 History of Stroke/TIA

##### Pulmonary Embolism (PE)

- I26.99 Acute
- I27.82 Chronic
- Z86.711 History of PE
- D68.59 Hypercoagulable state
- D68.51 Factor V Leiden
- D68.61 Antiphospholipid Syndrome

Other: ICD-10 Diagnosis Code:

Description:

#### Anticoagulation Medication:

Medication:  Coumadin/Warfarin (see required information below)  Eliquis  Pradaxa  Xarelto  Savaysa  
 Transition from \_\_\_\_\_ to \_\_\_\_\_

Onset of Therapy (Date):

Initial Dosing:

#### Duration of Therapy: (Choose ONLY ONE)

Indefinitely  Other (Therapy End DATE must be specified): \_\_\_\_\_ (MM/DD/YYYY)

#### For Coumadin/Warfarin patients:

Target INR Range:  1.6-2.2  1.8-2.5  2.0-3.0  2.5-3.5  Other: \_\_\_\_\_

Lovenox Bridging: (AAMC ACS will default to Chest guidelines and/or discuss with ACS Medical Director if no option is checked)

Bridging if off warfarin for procedures?  Yes  No  Other:

Last INR Result: \_\_\_\_\_ Date: \_\_\_\_\_ D/C Lovenox when INR is greater than \_\_\_\_\_

#### Initial Appointment:

Immediately  1 Week  2 Week  3 Week  4 Week  Other:

Community Physician Signature: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Community Physician Name (Print): \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

\*Responsible Referring Physician (Community Physician): The clinic will test, dose, and prescribe as the acting agent as allowed for the referring physician who still remains ultimately responsible for the patient's anticoagulation therapy. The patient will be referred back to this physician if there are any issues with compliance or referrals.

ACS Clinic Staff may renew Anticoagulation Therapy prescription to patient's pharmacy as per ACS Pharmacy policy.



## **ANTI COAGULATION SERVICES**

**Initial Clinical Referral Contract - Hospitalist**

**AAMC Hospitalist Initiated**

**P: 443.481.5826 / F: 443.481.5798**

Patient Label ID

This referral is required for clinical purposes.

This is not a referral for insurance purposes.

The referral is a legal contract between the provider and pharmacist allowing Anti Coagulation Services (ACS) to become the acting agent for the referring physician.

Clinic staff will contact patients for scheduling upon receipt of the referral.

All patients are scheduled. This is not a walk in clinic.

The initial new patient appointment is scheduled for 45 minutes to review patient's medical history and new patient education regarding the medication. New patients are scheduled for their first 5-6 appointments in an effort to get them to a therapeutic level as quickly as possible (Two times/week for two weeks, then once/week thereafter). Appointments are scheduled for further future appointments upon check out as directed by the protocol.

The AAMC hospitalist may initiate the referral to the clinic. The initial referral is only valid for up to 30 days. A community physician must countersign the referral to assume the role of responsible referring physician. The AAMC hospitalist should confirm with the community physician that they will assume responsibility and choose to refer the patient into the clinic.

ACS is obligated to follow the hospital approved protocol as the acting agent for the physician. Any deviation from approved protocol requires the referring physician's direction and authorization.

Hospital protocol requires that both a current medication and problem list be submitted with the completed clinical new patient referral. AAMC hospitalists may update both lists in Epic. The patient should not be scheduled without both lists.